Subject Index for Volume 41, *Materials Evaluation*

Acoustic Emission Characterization Using AE [Parameter] Delay, J. H. Williams, Jr., and S. S. Lee, No. 8, p 961

Acoustic Emission Transducer for Fibrous Composite Materials, The Application of Polyvinylidence Fluoride as an, R. Stiffler and E. G. Henneke, II, No. 8, p 956

Acoustic Imaging of 3D Carbon/Carbon Billets, G. C. Knollman and J. J. Hartog, No. 10, p 1186

Acoustic Microscopy, Microstructural Characterization of Titanium by, D. E. Yuhas and M. G. Oravecz, No. 11, p 1304

Acoustic-Ultrasonic Testing, Effects of Specimen Resonances on, J. H. Williams, Jr., E. B. Kahn, and S. S. Lee, No. 13, p 1502

Acoustical Holography, Three-Dimensional Defect Imaging by Multifrequency, M. Certo, No. 8, p 946

Acoustically Imaged Defects, Schlieren Visualization of, Y. Bar-Cohen, No. 1, p 88

AE [Parameter] Delay, Acoustic Emission Characterization Using, J. H Williams, Jr., and S. S. Lee, No. 8, p 961

Alignment Fixture for Radiographic Inspection of Welds on Spherical Parts (Performing Routine Inspections), L. O. Hester, No. 7, p 783

API 1104, The Potential of Real-Time Radiography for, S. A. Wenk, R. A. Brokaw, and R. G. Schonberg, No. 9, p 1069

Application of Optical Fibers to Wide-Band Differential Interferometry, A. O. Garg and R. O. Claus, No. 1, p 106

Application of Polyvinylidene Fluoride as an Acoustic Emission Transducer for Fibrous Composite Materials, The, R. Stiffler and E. G. Henneke, II, No. 8, p 956

ASNT Occupational Profile/83 (Special Report), No. 8, p 893

Aspects of Certification: A Grass Roots Opinion Paper, The, R. P. Krolicki, No. 11, p 1262

Assessment of NDT Systems—Part I: The Relationship of True and False Detections, J. A. Swets, No. 11, p 1294

Assessment of NDT Systems—Part II: Indices of Performance, J. A. Swets, No. 11, p 1299

Atmospheric Diving Suits, An Introduction to, S. Carnevale, No. 5, p 529

Austenitic Stainless Steel Welds After Thermal-Mechanical Processing, Ultrasonic Inspectability Improvements in, L. A. Lott and R. K. Malik, No. 6, p 738

Automatic Eddy Current Bolt Hole Scanning System, A. P. Rogel and J. J. Scalese, No. 7, p 839

Automated Inspection of Corroded Steel Structures, A. Singh, R. McClintock, T. W. Rudwick III, and R. L. Brackett, No. 5, p 568

Automation in NDT Applications, Rethinking, A. B. Smith, No. 3, p 276

Battery-Operated Fluoroscopic System: Lixiscope with X-Ray Generator, A Small, L. I Yin, J. I. Trombka, A. P. Ruitberg, and S. M. Seltzer, No. 7, p 844

Billets, Acoustic Imaging of 3D Carbon/Carbon, G. C. Knollman and J. J. Hartog, No. 10, p 1186

Borescope Photography Made Easy (Back to Basics), F. G. Becher, No. 13, p 1430

Brittle Transition Temperature in Fe-C Alloys, Ultrasonic Attenuation, Microstructure, and Ductile to, R. L. Smith, K. L. Rusbridge, W. N. Reynolds, and B. Hudson, No. 2, p 219

Certificate and Level III Certification Programs: Pathways in Professional Growth, Level III (Opinion Paper), W. D. Rummel, No. 10, p 1144

Certification: A Grass Roots Opinion Paper, The Aspects of, R. P. Krolicki, No. 11, p 1262

Certification: A Grass Roots Opinion Paper, Mythology of, R. P. Krolicki, No. 2, p 172

Certification Programs: Pathways in Professional Growth, Level III Certificate and Level III (Opinion Paper), W. D. Rummel, No. 10, p 1144

Characterization of Metals and Alloys by Electrical Resistivity Measurements, R. L. Cohen and K. W. West, No. 9, p 1074

Charts for Visual Testing of Inspection Personnel, W. H. Bailey, No. 7, p 849

Component Identification Using Ultrasonic Signature Analysis, J. L. Rose, J. B. Nestleroth, and Y. H. Jeong, No. 3, p 315

Composites, Low-Kilovoltage Radiography of, R. H. Fassbender and D. J. Hagemaier, No. 7, p 831

Composites, Polar-Scan, A Nondestructive Test Method for the Inspection of Layer Orientation and Stacking Order in Advanced Fiber, W. H. M. van Dreumel and J. L. Speijer, No. 9, p 1060

Computed Tomography for Use on Live Trees, M. Onoe, J. W. Tsao, H. Yamada, and M. Yoshimatsu, No. 6, p 748

Computed Tomography, New Possibilities of Nondestructive Evaluation by X-ray, P. Reimers and J. Goebbels, No. 6, p 732

Computer Model and Experimental Methods to Design, Analyze, and Evaluate Ultrasonic NDE Transducers, Use of, E. P. Papadakis, No. 12, p 1378

Conductivity Standards Calibration, Semiautomated, A. R. Jones, G. S. Tsiang, and T. M. Barber, No. 10, p 1194

Corroded Steel Structures, Automated Inspection of, A. Singh, R. McClintock, T. W. Rudwick III, and R. L. Brackett, No. 5, p 568.

Crack Depth Measurements Using AC Potential Drop (Instrument Review), T. J. C. Webborn, No. 2, p 156

Cracks Under Installed Fasteners in Aircraft Structures, Detection of, T. D. Cooper and D. M. Forney, No. 10, p 1178

Subject Index for Volume 41, *Materials Evaluation*

Acoustic Emission Characterization Using AE [Parameter] Delay, J. H. Williams, Jr., and S. S. Lee, No. 8, p 961

Acoustic Emission Transducer for Fibrous Composite Materials, The Application of Polyvinylidence Fluoride as an, R. Stiffler and E. G. Henneke, II, No. 8, p 956

Acoustic Imaging of 3D Carbon/Carbon Billets, G. C. Knollman and J. J. Hartog, No. 10, p 1186

Acoustic Microscopy, Microstructural Characterization of Titanium by, D. E. Yuhas and M. G. Oravecz, No. 11, p 1304

Acoustic-Ultrasonic Testing, Effects of Specimen Resonances on, J. H. Williams, Jr., E. B. Kahn, and S. S. Lee, No. 13, p 1502

Acoustical Holography, Three-Dimensional Defect Imaging by Multifrequency, M. Certo, No. 8, p 946

Acoustically Imaged Defects, Schlieren Visualization of, Y. Bar-Cohen, No. 1, p 88

AE [Parameter] Delay, Acoustic Emission Characterization Using, J. H Williams, Jr., and S. S. Lee, No. 8, p 961

Alignment Fixture for Radiographic Inspection of Welds on Spherical Parts (Performing Routine Inspections), L. O. Hester, No. 7, p 783

API 1104, The Potential of Real-Time Radiography for, S. A. Wenk, R. A. Brokaw, and R. G. Schonberg, No. 9, p 1069

Application of Optical Fibers to Wide-Band Differential Interferometry, A. O. Garg and R. O. Claus, No. 1, p 106

Application of Polyvinylidene Fluoride as an Acoustic Emission Transducer for Fibrous Composite Materials, The, R. Stiffler and E. G. Henneke, II, No. 8, p 956

ASNT Occupational Profile/83 (Special Report), No. 8, p 893

Aspects of Certification: A Grass Roots Opinion Paper, The, R. P. Krolicki, No. 11, p 1262

Assessment of NDT Systems—Part I: The Relationship of True and False Detections, J. A. Swets, No. 11, p 1294

Assessment of NDT Systems—Part II: Indices of Performance, J. A. Swets, No. 11, p 1299

Atmospheric Diving Suits, An Introduction to, S. Carnevale, No. 5, p 529

Austenitic Stainless Steel Welds After Thermal-Mechanical Processing, Ultrasonic Inspectability Improvements in, L. A. Lott and R. K. Malik, No. 6, p 738

Automatic Eddy Current Bolt Hole Scanning System, A. P. Rogel and J. J. Scalese, No. 7, p 839

Automated Inspection of Corroded Steel Structures, A. Singh, R. McClintock, T. W. Rudwick III, and R. L. Brackett, No. 5, p 568

Automation in NDT Applications, Rethinking, A. B. Smith, No. 3, p 276

Battery-Operated Fluoroscopic System: Lixiscope with X-Ray Generator, A Small, L. I Yin, J. I. Trombka, A. P. Ruitberg, and S. M. Seltzer, No. 7, p 844

Billets, Acoustic Imaging of 3D Carbon/Carbon, G. C. Knollman and J. J. Hartog, No. 10, p 1186

Borescope Photography Made Easy (Back to Basics), F. G. Becher, No. 13, p 1430

Brittle Transition Temperature in Fe-C Alloys, Ultrasonic Attenuation, Microstructure, and Ductile to, R. L. Smith, K. L. Rusbridge, W. N. Reynolds, and B. Hudson, No. 2, p 219

Certificate and Level III Certification Programs: Pathways in Professional Growth, Level III (Opinion Paper), W. D. Rummel, No. 10, p 1144

Certification: A Grass Roots Opinion Paper, The Aspects of, R. P. Krolicki, No. 11, p 1262

Certification: A Grass Roots Opinion Paper, Mythology of, R. P. Krolicki, No. 2, p 172

Certification Programs: Pathways in Professional Growth, Level III Certificate and Level III (Opinion Paper), W. D. Rummel, No. 10, p 1144

Characterization of Metals and Alloys by Electrical Resistivity Measurements, R. L. Cohen and K. W. West, No. 9, p 1074

Charts for Visual Testing of Inspection Personnel, W. H. Bailey, No. 7, p 849

Component Identification Using Ultrasonic Signature Analysis, J. L. Rose, J. B. Nestleroth, and Y. H. Jeong, No. 3, p 315

Composites, Low-Kilovoltage Radiography of, R. H. Fassbender and D. J. Hagemaier, No. 7, p 831

Composites, Polar-Scan, A Nondestructive Test Method for the Inspection of Layer Orientation and Stacking Order in Advanced Fiber, W. H. M. van Dreumel and J. L. Speijer, No. 9, p 1060

Computed Tomography for Use on Live Trees, M. Onoe, J. W. Tsao, H. Yamada, and M. Yoshimatsu, No. 6, p 748

Computed Tomography, New Possibilities of Nondestructive Evaluation by X-ray, P. Reimers and J. Goebbels, No. 6, p 732

Computer Model and Experimental Methods to Design, Analyze, and Evaluate Ultrasonic NDE Transducers, Use of, E. P. Papadakis, No. 12, p 1378

Conductivity Standards Calibration, Semiautomated, A. R. Jones, G. S. Tsiang, and T. M. Barber, No. 10, p 1194

Corroded Steel Structures, Automated Inspection of, A. Singh, R. McClintock, T. W. Rudwick III, and R. L. Brackett, No. 5, p 568.

Crack Depth Measurements Using AC Potential Drop (Instrument Review), T. J. C. Webborn, No. 2, p 156

Cracks Under Installed Fasteners in Aircraft Structures, Detection of, T. D. Cooper and D. M. Forney, No. 10, p 1178

Critical Commentary on Magnetic Particle Inspection, A, D. J. Hagemaier, No. 9, p 1063
Deep Water: The New Frontier for NDT, A. Galerne and D. Walker, No. 5, p 532
Design and Use of Electromagnetic Acoustic Wave Transducers (EMATs), The, B. W. Maxfield and C. M. Fortunko, No. 12, p 1399
Detection of Cracks Under Installed Fasteners in Aircraft Structures, T. D. Cooper and D. M. Forney, No. 10, p 1178
Detection Probability Depends on Particle Size, Estimation of a Particle Size Distribution When, W. Nelson, No. 10, p 1172
Ductile to Brittle Transition Temperature in Fe-C Alloys, Ultrasonic Attenuation, Microstructure, and, R. L. Smith, K. L. Rusbridge, W. N. Reynolds, and B. Hudson, No. 2, p 219
Eddy Current Bolt Hole Scanning System, Automatic, A. P. Rogel and J. J. Scalese, No. 7, p 839
Eddy Current for Examination of Heat Exchanger Tubing (Performing Routine Inspections), C. Jackson, L. Syverson, and A. Birks, No. 7, p 783
Eddy Current Impedance Plane Analysis, D. J. Hagemaier, No. 2, p 211. Erratum, No. 5, p 588
Eddy Current Probe Design Using Finite Element Analysis, N. Ida, R. Palanisamy, and W. Lord, No. 12, p 1389
Eddy Current Probe Response, Effects of Temperature on, S. W. Schwartz and W. Lord, No. 12, p 1395
Eddy Current Probes, Shielded (Performing Routine Inspections), D. M. Bailey, No. 7, p 776
Eddy Currents and Magnetic Rubber, NDT TV Tapes on (Performing Routine Inspections), A. P. Rogel, No. 7, p 778
Effects of Specimen Resonances on Acoustic-Ultrasonic Testing, J. H. Williams, Jr., E. B. Kahn, and S. S. Lee, No. 13, p 1502
Effects of Temperature on Eddy Current Probe Response, S. W. Schwartz and W. Lord, No. 12, p 1395
Electrical Resistivity Measurements, Characterization of Metals and Alloys by, R. L. Cohen and K. W. West, No. 9, p 1074
Electromagnetic Acoustic Wave Transducers (EMATs), The Design and Use of, B. W. Maxfield and C. M. Fortunko, No. 12, p 1399
Electron Beam Braze Joins, Nondestructive Evaluation of, D. M. Boyd, J. F. Shackelford, B. W. Maxfield, and G. M. Taylor, No. 1, p 94
Electronic Components Inspection, Real-Time Radiography in High Volume Incoming, No. 1, p 18
Estimation of a Particle Size Distribution When Detection Probability Depends on Particle Size, W. Nelson, No. 10, p 1172
Fasteners in Aircraft Structures, Detection of Cracks Under Installed, T. D. Cooper and D. M. Forney, No. 10, p 1178
Fiberglass Watercraft, A Liquid Crystals Kit for Structural Integrity Assessment of, J. H. Williams, Jr., and R. J. Nagem, No. 2, p 202
Fibrous Composite Materials, The Application of Polyvinylidene Fluoride as an Acoustic Emission Transducer for, R. Stiffler and E. G. Henneke, II, No. 8, p 956
Fighting Product Defects for over 35 Years, No. 2, p 176
Finite Element Analysis, Eddy Current Probe Design Using, N. Ida, R. Palanisamy, and W. Lord, No. 12, p 1389
First Picture': Review on the Initial Steps in The Development of Eight Branches of Nondestructive Material Testing, 'The, F. Förster, No. 13, p 1477
Fluorescent Penetrant Hydrophilic Remover Process (Part 1) (Back to Basics), B. W. Boisvert, G. Hardy, J. F. Dorgan, and R. H. Selner, No. 1, p 34; (Part 2), No. 2, p 134
Fluorescent Penetrant Process, Overremoval Propensities of the Prewash Hydrophilic Emulsifier, A. G. Sherwin, No. 3, p 294
Fluoroscopic Pipe Inspection Proves Economical, Real-time, No. 13, p 1457
Fluoroscopic System: Lixiscope with X-ray Generator, A Small, Battery-Operated, L. I Yin, J. I. Trombka, A. P. Ruitberg, and S. M. Seltzer, No. 7, p 844
Fracture Toughness of a Two-Phase Titanium Alloy, Interrelation of Material Microstructure, Ultrasonic Factors, and, A. Vary and D. R. Hull, No. 3, p 309
Future Growth of Nondestructive Evaluation, E. P. Papadakis, No. 10, p 1130
Gamma Radiation Field, Mechanisms of Transducer Failure in a, R. W. Smilie and F. A. Iddings, No. 12, p 1409
Heat Exchanger Tubing, Eddy Current for Examination of, (Performing Routine Inspections), C. Jackson, L. Syverson, and A. Birks, No. 7, p 783
Honeycomb to Porous Wireform Substrate Diffusion Bond Evaluation, Metal, A. Vary, P. E. Moorhead, and D. R. Hull, No. 8, p 942
Hydrophilic Remover Process, The Fluorescent Penetrant (Part 1) (Back to Basics), B. W. Boisvert, G. Hardy, J. F. Dorgan, and R. H. Selner, No. 1, p 34; (Part 2), No. 2, p 134
Impedance Plane Analysis, Eddy Current, D. J. Hagemaier, No. 2, p 211. Erratum, No. 5, p 588
Indices of Performance, Assessment of NDT Systems—Part II:, J. A. Swets, No. 11, p 1299
Industrial Ultrasonic Tomography—Principle, Practice, and Limitation, M. C. Tsao, No. 11, p 1248
Infrared Absorption, Nondestructive Thickness Measurement of Phosphate Coatings, by T. M. Mansour, No. 3, p 302
Innovation in Field Radiography (Performing Routine Inspections), J. A. Hendron, No. 7, p 779
Inspect Our Bridges?, Who Will, C. J. Hellier, No. 12, p 1352
Inspecting Oil Country Tubular Goods Using Capacitive Discharge Systems (Performing Routine Inspections), G. L. Moake and R. K. Stanley, No. 7, p 779
Inspection and Inspectors, Surface (Temper Etch) (Back to Basics), W. H. Bailey, No. 9, p 1000
Inspection of Layer Orientation and Stacking Order in Advanced Fiber Composites, Polar-Scan, A Nondestructive Test Method for the, W. H. M. van Dreumel and J. L. Speijer, No. 9, p 1060
Inspection System, IRIS—Internal Rotary (Back to Basics), M. E. Rentler, No. 8, p 884
Interrelation of Material Microstructure, Ultrasonic Factors, and Fracture Toughness of a Two-Phase Titanium Alloy, A. Vary and D. R. Hull, No. 3, p 309
Introduction to Atmospheric Diving Suits, An, S. Carnevale, No. 5, p 529
IRIS—Internal Rotary Inspection System (Back to Basics), M. E. Rentler, No. 8, p 884
Level III Certificate and Level III Certification Programs: Pathways in Professional Growth (Opinion Paper), W. D. Rummel, No. 10, p 1144
Liquid Crystals Kit for Structural Integrity Assessment of Fiberglass Watercraft, A, J. H. Williams, Jr., and R. J. Nagem, No. 2, p 202
Liquid Crystals Thermography, Quantitative Geometric Characterization of Two-Dimensional Flaws Via, J. H. Williams, Jr., B. B. Felenchak, and R. J. Nagem, No. 2, p 190
Low-Kilovoltage Radiography of Composites, R. H. Fassbender and D. J. Hagemaier, No. 7, p 831
Low-pressure Turbine Disk Rims, Ultrasonic NDE Technique for the Examination of, G. P. Singh, R. A. Cervantes, and R. L. Spinks, No. 13, p 1511
Machined Surfaces Pressed Against Each Other, A Study on the Transmission and Reflection of an Ultrasonic Beam at, T. Arakawa, No. 6, p 714
Magfoil Method, The, K. G. Walther, No. 5, p 582
Magnetic Particle Inspection, A Critical Commentary on, D. J. Hagemaier, No. 9, p 1063
Magnetic Particle Testing in the Marine Environment, No. 5, p 527
Magnetographic Weld Inspection System for Underwater Installations, W. Stumm, No. 5, p 586

Material Microstructure, Ultrasonic Factors, and Fracture Toughness of a Two-Phase Titanium Alloy, Interrelation of, A. Vary and D. R. Hull, No. 3, p 309
Material Testing, 'The First Picture': Review on the Initial Steps in the Development of Eight Branches of Nondestructive, F. Förster, No. 13, p 1477
Measuring Transducer Movement During Underwater Ultrasonic Evaluation of Weld Flaws, Method for, W. S. Burkle, No. 5, p 579
Mechanisms of Transducer Failure in a Gamma Radiation Field, R. W. Smilie and F. A. Iddings, No. 12, p 1409
Metal Honeycomb to Porous Wireform Substrate Diffusion Bond Evaluation, A. Vary, P. E. Moorhead, and D. R. Hull, No. 8, p 942
Method for Measuring Transducer Movement During Underwater Ultrasonic Evaluation of Weld Flaws, W. S. Burkle, No. 5, p 579
Method of Acceptance Decision, Taking NDT's Lack of Precision into Account, J. Perdijon, No. 8, p 951
Microcomputer-Based Ultrasonic Inspection of Solder Bonds in Superconducting Cable, P. F. Durbin, G. H. Armstrong, and A. Kuramoto, No. 1, p 101
Microprocessors in Nondestructive Evaluation, Utilization of, K. J. Glasch, No. 9, p 996
Microstructural Characterization of Titanium by Acoustic Microscopy, D. E. Yuhas and M. G. Oravecz, No. 11, p 1304
Microstructure, and Ductile to Brittle Transition Temperature in Fe-C Alloys, Ultrasonic Attenuation, R. L. Smith, K. L. Rusbridge, W. N. Reynolds, and B. Hudson, No. 2, p 219
Molten Aluminum Quality, Ultrasonic Technology for Measuring, T. L. Mansfield, No. 6, p 743
Moral Basis for Nondestructive Testing, The, R. C. McMaster, No. 12, p 1361
Multichannel Versus Multiplex Ultrasonic NDT Systems (Back to Basics), J. G. Rumbold, No. 11, p 1258
Mythology of Certification: A Grass Roots Opinion Paper, The, R. P. Krolicki, No. 2, p 172
NDE Education for Industry Symposium, University/College, W. Lord, No. 3, p 259
NDE Technique for the Examination of Low-pressure Turbine Disk Rims, Ultrasonic, G. P. Singh, R. A. Cervantes, and R. L. Spinks, No. 13, p 1511
NDE Techniques, Underwater (Back to Basics), K. Saebjørnsen and O. Førli, No. 5, p 503
NDT, Deep Water: The New Frontier for, A. Galerne and D. Walker, No. 5, p 532
NDT Systems, Multichannel Versus Multiplex Ultrasonic (Back to Basics), J. G. Rumbold, No. 11, p 1258
NDT Systems—Part I: The Relationship of True and False Detections, Assessment of, J. A. Swets, No. 11, p 1294
NDT Systems—Part II: Indices of Performance, Assessment of, J. A. Swets, No. 11, p 1299
NDT TV Tapes on Eddy Currents and Magnetic Rubber (Performing Routine Inspections), A. P. Rogel, No. 7, p 778
NDT, UV/Black Light Measurement for (Back to Basics), W. O. Holden, No. 3, p 244
New Possibilities of Nondestructive Evaluation by X-Ray Computed Tomography, P. Reimers and G. Goebbels, No. 6, p 732
Nondestructive Evaluation by X-Ray Computed Tomography, New Possibilities of, P. Reimers and J. Goebbels, No. 6, p 732
Nondestructive Evaluation, Future Growth of, E. P. Papadakis, No. 10, p 1130
Nondestructive Evaluation of Electron Beam-Braze Joins, D. M. Boyd, J. F. Shackelford, B. W. Maxfield, and G. M. Taylor, No. 1, p 94
Nondestructive Material Testing, 'The First Picture': Review on the Initial Steps in the Development of Eight Branches of, F. Förster, No. 13, p 1477
Nondestructive Testing, The Moral Basis for, R. C. McMaster, No. 12, p 1361
Nondestructive Testing?, What's Destructive in, (Back to Basics), S. A. Laycock, No. 10, p 1108
Nondestructive Thickness Measurement of Phosphate Coatings by Infrared Absorption, T. M. Mansour, No. 3, p 302
Offshore Structures, A Proposed Ultrasonic Inspection Technique for, M. D. Fuller, J. B. Nestleroth, and J. L. Rose, No. 5, p 571
Optical Fibers to Wide-Band Differential Interferometry, Application of, A. O. Garg and R. O. Claus, No. 1, p 106
Overremoval Propensities of the Prewash Hydrophilic Emulsifier Fluorescent Penetrant Process, A. G. Sherwin, No. 3, p 294
Particle Size, Estimation of a Particle Size Distribution When Detection Probability Depends on, W. Nelson, No. 10, p 1172
Phosphate Coatings by Infrared Absorption, Nondestructive Thickness Measurement of, T. M. Mansour, No. 3, p 302
Photon Scattering in Iron Radiography, Point Spread Functions Due to, A. Fishman, U. Feldman, A. Notea, and Y. Segal, No. 10, p 1201
Pipe Inspection Proves Economical, Real-time Fluoroscopic, No. 13, p 1457
Pipe Weld Quality, A System for Assessing, D. Burns and R. P. Krolicki, No. 6, p 720
Point Spread Functions Due to Photon Scattering in Iron Radiography, A. Fishman, U. Feldman, A. Notea, and Y. Segal, No. 10, p 1201
Polar-Scan, A Nondestructive Test Method for the Inspection of Layer Orientation and Stacking Order in Advanced Fiber Composites, W. H. M. van Dreumel and J. L. Speijer, No. 9, p 1060
Polyvinylidene Fluoride as an Acoustic Emission Transducer for Fibrous Composite Materials, The Application of, R. Stiffler and E. G. Henneke, II, No. 8, p 956
Potential of Real-Time Radiography for API 1104, The, S. A. Wenk, R. A. Brokaw, and R. G. Schonberg, No. 9, p 1069
Prewash Hydrophilic Emulsifier Fluorescent Penetrant Process, Overremoval Propensities of the, A. G. Sherwin, No. 3, p 294
Productivity is Quality in Quantity (QualTest®-1 Keynote Address), D. J. Talley, No. 1, p 48
Proposed Ultrasonic Inspection Technique for Offshore Structures, A, M. D. Fuller, J. B. Nestleroth, and J. L. Rose, No. 5, p 571
PVDF Dynamically Focused Transducer, W. E. Glenn and J. B. O'Maley, No. 12, p 1412
Qualifying Underwater Inspectors in Norway, No. 5, p 520
Quality in Quantity, Productivity is (QualTest®-1 Keynote Address), D. J. Talley, No. 1, p 48
Quantitative Evaluation of Radiographic Imaging Variables, R. E. Wysnewski, No. 7, p 826
Quantitative Geometric Characterization of Two-Dimensional Flaws Via Liquid Crystals Thermography, J. H. Williams, Jr., R. J. Nagem, and B. R. Felenchak, No. 2, p 190
Radiation Emergency—Disconnected Source! T. R. Moore and R. D. Bell, No. 10, p 1208
Radiographic Imaging Variables, Quantitative Evaluation of, R. E. Wysnewski, No. 7, p 826
Radiographic Inspection of Welds on Spherical Parts, Alignment Fixture for (Performing Routine Inspections), L. O. Hester, No. 7, p 783
Radiography for API 1104, The Potential of Real-Time, S. A. Wenk, R. A. Brokaw, and R. G. Schonberg, No. 9, p 1069
Radiography, Innovation in Field (Performing Routine Inspections), J. A. Hendron, No. 7, p 779
Radiography, Point Spread Functions Due to Photon Scattering in Iron, A. Fishman, U. Feldman, A. Notea, and Y. Segal, No. 10, p 1201
Radiography, Some Recommended Applications of, G. Itoh, No. 6, p 640

Radiography of Composites, Low-Kilovoltage, R. H. Fassbender and D. J. Hagemaier, No. 7, p 831
Real-time Fluoroscopic Pipe Inspection Proves Economical, No. 13, p 1457
Real-Time Radiography for API 1104, The Potential of, S. A. Wenk, R. A. Brokaw, and R. G. Schonberg, No. 9, p 1069
Real-Time Radiography in High-Volume Incoming Electronic Components Inspection, No. 1, p 18
Refinery NDT Art, State of the, R. P. Buhrow, No. 13, p 1517
Rethinking Automation in NDT Applications, A. B. Smith, No. 3, p 276
Schlieren Visualization of Acoustically Imaged Defects, Y. Bar-Cohen, No. 1, p 88
Semiautomated Conductivity Standards Calibration, A. R. Jones, G. S. Tsiang, and T. M. Barber, No. 10, p 1194
Shielded Eddy Current Probes (Performing Routine Inspections), D. M. Bailey, No. 7, p 776
Six Phases of a Project, The (Back to Basics), A. Hipkiss, No. 7, p 770
Small Battery-Operated Fluoroscopic System: Lixiscope with X-ray Generator, A, L. I Yin, J. I. Trombka, A. P. Ruitberg, and S. M. Seltzer, No. 7, p 844
SNT-TC-1A Interpretation Panel Responds to Inquiries, No. 5, p 540
Some Recommended Applications of Radiography, G. Itoh, No. 6, p 640
Source!, Radiation Emergency—Disconnected, T. R. Moore and R. D. Bell, No. 10, p 1208
Specimen Resonances on Acoustic-Ultrasonic Testing, Effects of, J. H. Williams, Jr., E. B. Kahn, and S. S. Lee, No. 13, p 1502
Stacking Order in Advanced Fiber Composites, Polar-Scan, A Nondestructive Test Method for the Inspection of Layer Orientation and, W. H. M. van Dreumel and J. L. Speijer, No. 9, p 1060
Stainless Steel Welds After Thermal-Mechanical Processing, Ultrasonic Inspectability Improvements In Austenitic, L. A. Lott and R. K. Malik, No. 6, p 738
State of the Refinery NDT Art, R. P. Buhrow, No. 13, p 1517
Steel Building Weld Inspection, Structural (Performing Routine Inspections), R. L. Queen and W. T. Wisler, No. 7, p 786
Steel Plate with <100 ppm Sulfur, Ultrasonics for Assessing Susceptibility to Lamellar Tearing of (Instrument Review), G. Canella and M. Taddei, No. 9, p 1018
Structural Steel Building Weld Inspection (Performing Routine Inspections), R. L. Queen and W. T. Wisler, No. 7, p 786
Study on the Transmission and Reflection of an Ultrasonic Beam at Machined Surfaces Pressed Against Each Other, A, T. Arakawa, No. 6, p 714
Superconducting Cable, Microcomputer-Based Ultrasonic Inspection of Solder Bonds In, P. F. Durbin, G. H. Armstrong, and A. Kuramoto, No. 1, p 101
Surface (Temper Etch) Inspection and Inspectors (Back to Basics), W. H. Bailey, No. 9, p 1000
System for Assessing Pipe Weld Quality, A, D. Burns and R. P. Krolicki, No. 6, p 720
Temperature in Fe-C Alloys, Ultrasonic Attenuation, Microstructure, and Ductile to Brittle Transition, R. L. Smith, K. L. Rusbridge, W. N. Reynolds, and B. Hudson, No. 2, p 219
Temperature on Eddy Current Probe Response, Effects of, S. W. Schwartz and W. Lord, No. 12, p 1395
Thermal-Mechanical Processing, Ultrasonic Inspectability Improvements in Austenitic Stainless Steel Welds After, L. A. Lott and R. K. Malik, No. 6, p 738
Thermography, Quantitative Geometric Characterization of Two-Dimensional Flaws Via Liquid Crystals, J. H. Williams, Jr., R. J. Nagem, and B. R. Felenchak, No. 2, p 190
Titanium Alloy, Interrelation of Material Microstructure, Ultrasonic Factors, and Fracture Toughness of a Two-Phase, A. Vary and D. R. Hull, No. 3, p 309
Titanium by Acoustic Microscopy, Microstructural Characterization of, D. E. Yuhas and M. G. Oravecz, No. 11, p 1304
Three-Dimensional Defect Imaging by Multifrequency Acoustical Holography, M. Certo, No. 8, p 946
Tomography for Use on Live Trees, Computed, M. Onoe, J. W. Tsao, H. Yamada, and M. Yoshimatsu, No. 6, p 748
Tomography, New Possibilities of Nondestructive Evaluation by X-ray Computed, P. Reimers and J. Goebbels, No. 6, p 732
Tomography—Principle, Practice, and Limitation, Industrial Ultrasonic, M. C. Tsao, No. 11, p 1248
Tomography, Transmission and Reflection-Type Ultrasonic Computed, M. Onoe, H. Yamada, and Z.-C. Liu, No. 3, p 300
Transducer Failure in a Gamma Radiation Field, Mechanisms of, R. W. Smilie and F. A. Iddings, No. 12, p 1409
Transmission and Reflection of an Ultrasonic Beam at Machined Surfaces Pressed Against Each Other, A Study on the, T. Arakawa, No. 6, p 714
Transmission and Reflection-Type Ultrasonic Computed Tomography, M. Onoe, H. Yamada, and Z.-C. Liu, No. 3, p 300
Trees, Computed Tomography for Use on Live, M. Onoe, J. W. Tsao, H. Yamada, and M. Yoshimatsu, No. 6, p 748
True and False Detections, Assessment of NDT Systems—Part I: The Relationship of, J. A. Swets, No. 11, p 1294
Turbine Disk Rims, Ultrasonic NDE Technique for the Examination of Low-pressure, G. P. Singh, R. A. Cervantes, and R. L. Spinks, No. 13, p 1511
Two-Dimensional Flaws Via Liquid Crystals Thermography, Quantitative Geometric Characterization of, J. H. Williams, Jr., R. J. Nagem, and B. R. Felenchak, No. 2, p 190
Ultrasonic Attenuation, Microstructure, and Ductile to Brittle Transition Temperature in Fe-C Alloys, R. L. Smith, K. L. Rusbridge, W. N. Reynolds, and B. Hudson, No. 2, p 219
Ultrasonic Beam at Machined Surfaces Pressed Against Each Other, A Study on the Transmission and Reflection of an, T. Arakawa, No. 6, p 714
Ultrasonic Computed Tomography, Transmission and Reflection-Type, M. Onoe, H. Yamada, and Z.-C. Liu, No. 3, p 300
Ultrasonic Evaluation of Weld Flaws, Method for Measuring Transducer Movement During Underwater, W. S. Burkle, No. 5, p 579
Ultrasonic Factors, and Fracture Toughness of a Two-Phase Titanium Alloy, Interrelation of Material Microstructure, A. Vary and D. R. Hull, No. 3, p 309
Ultrasonic Inspectability Improvements In Austenitic Stainless Steel Welds After Thermal-Mechanical Processing, L. A. Lott and R. K. Malik, No. 6, p 738
Ultrasonic Inspection of Solder Bonds in Superconducting Cable, Microcomputer-Based, P. F. Durbin, G. H. Armstrong, and A. Kuramoto, No. 1, p 101
Ultrasonic Inspection Technique for Offshore Structures, A Proposed, M. D. Fuller, J. B. Nestleroth, and J. L. Rose, No. 5, p 571
Ultrasonic NDE Technique for the Examination of Low-pressure Turbine Disk Rims, G. P. Singh, R. A. Cervantes, and R. L. Spinks, No. 13, p 1511
Ultrasonic NDE Transducers, Use of Computer Model and Experimental Methods to Design, Analyze, and Evaluate, E. P. Papadakis, No. 12, p 1378
Ultrasonic NDT Systems, Multichannel Versus Multiplex (Back to Basics), J. G. Rumbold, No. 11, p 1258
Ultrasonic Signature Analysis, Component Identification Using, J. L. Rose, J. B. Nestleroth, and Y. H. Jeong, No. 3, p 315
Ultrasonic Technology for Measuring Molten Aluminum Quality, T. L. Mansfield, No. 6, p 743
Ultrasonic Test Probe, The (Back to Basics), F. A. Iddings and M. L. Rock, No. 12, p 1338
Ultrasonic Test Reference Level Sensitivity, Use of DAC Curves and Transfer Lines to Maintain (Back to Basics), W. S. Burkle and V. H. Isom, No. 6, p 624

Ultrasonic Testing, Effects of Specimen Resonances on Acoustic-, J. H. Williams, Jr., E. B. Kahn, and S. S. Lee, No. 13, p 1502
Ultrasonic Tomography—Principle, Practice, and Limitation, Industrial, M. C. Tsao, No. 11, p 1248
Ultrasonics for Assessing Susceptibility to Lamellar Tearing of Steel Plate with <100 ppm Sulfur (Instrument Review), G. Canella and M. Taddei, No. 9, p 1018
Underwater Inspectors in Norway, Qualifying, No. 5, p 520
Underwater Installations, Magnetographic Weld Inspection System for, W. Stumm, No. 5, p 586
Underwater NDE Techniques (Back to Basics), K. Saebjørnsen and O. Førli, No. 5, p 503
Underwater Ultrasonic Evaluation of Weld Flaws, Method for Measuring Transducer Movement During, W. S. Burkle, No. 5, p 579
University/College NDE Education for Industry Symposium, W. Lord, No. 3, p 259
Use of Computer Model and Experimental Methods to Design, Analyze, and Evaluate Ultrasonic NDE Transducers, E. P. Papadakis, No. 12, p 1378
Use of DAC Curves and Transfer Lines to Maintain Ultrasonic Test Reference Level Sensitivity (Back to Basics), W. S. Burkle and V. H. Isom, No. 6, p 624
Utilization of Microprocessors in Nondestructive Evaluation, K. J. Glasch, No. 9, p 996
UV/Black Light Measurement for NDT (Back to Basics), W. O. Holden, No. 3, p 244
Visual Testing of Inspection Personnel, Charts for, W. H. Bailey, No. 7, p 849
Weld Flaws, Method for Measuring Transducer Movement During Underwater Ultrasonic Evaluation of, W. S. Burkle, No. 5, p 579
Weld Inspection, Structural Steel Building (Performing Routine Inspections), R. L. Queen and W. T. Wisler, No. 7, p 786
Weld Inspection System for Underwater Installations, Magnetographic, W. Stumm, No. 5, p 586
Welds on Spherical Parts, Alignment Fixture for Radiographic Inspection of (Performing Routine Inspections), No. 7, p 783
What's Destructive in Nondestructive Testing? (Back to Basics), S. A. Laycock, No. 10, p 1108
Who Will Inspect Our Bridges? C. J. Hellier, No. 12, p 1352
Why and What for (Four): The Basis for Writing a Good Introduction, E. P. Papadakis, No. 1, p 20
Wide-Band Differential Interferometry, Application of Optical Fibers to, A. O. Garg and R. O. Claus, No. 1, p 106
X-ray Computed Tomography, New Possibilities of Nondestructive Evaluation by, P. Reimers and J. Goebbels, No. 6, p 732

Author Index for Volume 41, *Materials Evaluation*

Arakawa, T., *A Study on Transmission and Reflection of an Ultrasonic Beam at Machined Surfaces Pressed Against Each Other*, No. 6, p 714
Armstrong, G. H. (see Durbin, P. F.), No. 1, p 101
Bailey, D. M., *Shielded Eddy Current Probes* (Performing Routine Inspections), No. 7, p 776
Bailey, W. H., *Charts for Visual Testing of Inspection Personnel*, No. 7, p 849
_____, *Surface (Temper Etch) Inspection and Inspectors* (Back to Basics), No. 9, p 1000
Bar-Cohen, Y., *Schlieren Visualization of Acoustically Imaged Defects*, No. 1, p 88
Barber, T. M. (see Jones, A. R.), No. 10, p 1194
Becher, F. G., *Borescope Photography Made Easy* (Back to Basics), No. 13, p 1430
Bell, R. D. (see Moore, T. R.), No. 10, p 1208
Birks, A. (see Jackson, C.), No. 7, p 783
Boisvert, B. W., G. Hardy, J. F. Dorgan, and R. H. Selner, *The Fluorescent Penetrant Hydrophilic Remover Process (Part 1)* (Back to Basics), No. 1, p 34
_____, *The Fluorescent Penetrant Hydrophilic Remover Process (Part 2)* (Back to Basics), No. 2, p 134
Boyd, D. M., J. F. Shackelford, B. W. Maxfield, and G. M. Taylor, *Nondestructive Evaluation of Electron-Beam Braze Joins*, No. 1, p 94
Brackett, R. L. (see Singh, A.), No. 5, p 568
Brokaw, R. A. (see Wenk, S. A.), No. 9, p 1069
Buhrow, R. P., *State of the Refinery NDT Art*, No. 13, p 1517
Burkle, W. S., *Method for Measuring Transducer Movement During Underwater Ultrasonic Evaluation of Weld Flaws*, No. 5, p 579
_____, and V. H. Isom, *Use of DAC Curves and Transfer Lines to Maintain Ultrasonic Test Reference Level Sensitivity* (Back to Basics), No. 6, p 624
Burns, D., and R. P. Krolicki, *A System for Assessing Pipe Weld Quality*, No. 6, p 720
Canella, G., and M. Taddei, *Ultrasonics for Assessing Susceptibility to Lamellar Tearing of Steel Plate with <100 ppm Sulfur* (Instrument Review), No. 9, p 1018
Carnevale, S., *An Introduction to Atmospheric Diving Suits*, No. 5, p 529
Certo, M., *Three-Dimensional Defect Imaging by Multifrequency Acoustical Holography*, No. 8, p 946
Cervantes, R. A. (see Singh, G. P.), No. 13, p 1511
Claus, R. O. (see Garg, A. O.), No. 1, p 106
Cohen, R. L., and K. W. West, *Characterization of Metals and*

Alloys by Electrical Resistivity Measurements, No. 9, p 1074
Cooper, T. D., and D. M. Forney, *Detection of Cracks Under Installed Fasteners in Aircraft Structures*, No. 10, p 1178
Dorgan, J. F. (see Boisvert, B. W.), No. 1, p 34
_____(see Boisvert, B. W.), No. 2, p 134
Durbin, P. F., G. H. Armstrong, and A. Kuramoto, *Microcomputer-Based Ultrasonic Inspection of Solder Bonds in Superconductivity Cable*, No. 1, p 101
Fassbender, R. H., and D. J. Hagemaier, *Low-Kilovoltage Radiography of Composites*, No. 7, p 831
Feldman, U. (see Fishman, A.), No. 10, p 1201
Felenchak, B. R. (see Williams, J. H., Jr.), No. 2, p 190
Fishman, A., U. Feldman, A. Notea, and Y. Segal, *Point Spread Functions Due to Photon Scattering in Iron Radiography*, No. 10, p 1201
Førli, O. (see Saebjørnsen, K.), No. 5, p 503
Forney, D. M. (see Cooper, T. D.), No. 10, p 1178
Förster, F., *'The First Picture': Review on the Initial Steps in the Development of Eight Branches of Nondestructive Material Testing*, No. 13, p 1477
Fortunko, C. M. (see Maxfield, B. W.), No. 12, p 1399
Fuller, M. D., J. B. Nestleroth, and J. L. Rose, *A Proposed Ultrasonic Inspection Technique for Offshore Structures*, No. 5, p 571
Galerne, A., and D. Walker, *Deep Water: The New Frontier for NDT*, No. 5, p 532
Garg, A. O., and R. O. Claus, *Application of Optical Fibers to Wide-Band Differential Interferometry*, No. 1, p 106
Glasch, K. J., *Utilization of Microprocessors in Nondestructive Evaluation*, No. 9, p 996
Glenn, W. E., and J. B. O'Maley, *A PVDF Dynamically Focused Transducer*, No. 12, p 1412
Goebbels, J. (see Reimers, P.), No. 6, p 732
Hagemaier, D. J., *Eddy Current Impedance Plane Analysis*, No. 2, p 211 (Erratum, No. 5, p 588)
_____(see Fassbender, R. H.), No. 7, p 831
_____, *A Critical Commentary on Magnetic Particle Inspection*, No. 9, p 1063
Hardy, G. (see Boisvert, B. W.), No. 1, p 34
_____(see Boisvert, B. W.), No. 2, p 134
Hartog, J. J. (see Knollman, G. C.), No. 10, p 1186
Hellier, C. J., *Who Will Inspect Our Bridges?* No. 12, p 1352
Hendron, J. A., *Innovation in Field Radiography* (Performing Routine Inspections), No. 7, p 779
Henneke, E. G., II (see Stiffler, R.), No. 8, p 956
Hester, L. O., *Alignment Fixture for Radiographic Inspection of Welds on Spherical Parts* (Performing Routine Inspections), No. 7, p 783
Hipkiss, A., *The Six Phases of a Project* (Back to Basics), No. 7, p 770
Holden, W. O., *UV/Black Light Measurement for NDT* (Back to Basics), No. 3, p 244
Hudson, B. (see Smith, R. L.), No. 2, p 219
Hull, D. R. (see Vary, A.), No. 3, p 309
_____(see Vary, A.), No. 8, p 942
Ida, N., R. Palanisamy, and W. Lord, *Eddy Current Probe Design Using Finite Element Analysis*, No. 12, p 1389
Iddings, F. A., and M. L. Rock, *The Ultrasonic Test Probe* (Back to Basics), No. 12, p 1338
_____(see Smilie, R. W.), No. 12, p 1409
Isom, V. H. (see Burkle, W. S.), No. 6, p 624
Itoh, G., *Some Recommended Applications of Radiography*, No. 6, p 640
Jackson, C., L. Syverson, and A. Birks, *Eddy Current for Examination of Heat Exchanger Tubing* (Performing Routine Inspections), No. 7, p 783
Jeong, Y. H. (see Rose, J. L.), No. 3, p 315
Jones, A. R., G. S. Tsiang, and T. M. Barber, *Semiautomated Conductivity Standards Calibration*, No. 10, p 1194
Kahn, E. B. (see Williams, J. H., Jr.), No 13, p 1502
Knollman, G. C., and J. J. Hartog, *Acoustic Imaging of 3D Carbon/Carbon Billets*, No. 10, p 1186
Krolicki, R. P., *The Mythology of Certification: A Grass Roots Opinion Paper*, No. 2, p 172
_____(see Burns, D.), No. 6, p 720
_____, *The Aspects of Certification: A Grass Roots Opinion Paper*, No. 11, p 1262
Kuramoto, A. (see Durbin, P. F.), No. 1, p 101
Laycock, S. A., *What's Destructive in Nondestructive Testing?* (Back to Basics), No. 10, p 1108
Lee, S. S. (see Williams, J. H., Jr.), No. 8, p 961
_____(see Williams, J. H., Jr.), No. 13, p 1502
Liu, Z.-C. (see Onoe, M.), No. 3, p 300
Lord, W. (see Ida, N.), No. 12, p 1389
_____(see Schwartz, S. W.), No. 12, p 1395
Lott, L. A., and R. K. Malik, *Ultrasonic Inspectability Improvements in Austenitic Stainless Steel Welds After Thermal-Mechanical Processing*, No. 6, p 738
Malik, R. K. (see Lott, L. A.), No. 6, p 738
Mansfield, T. L., *Ultrasonic Technology for Measuring Molten Aluminum Quality*, No. 6, p 743
Mansour, T. M., *Nondestructive Thickness Measurement of Phosphate Coatings by Infrared Absorption*, No. 3, p 302
Maxfield, B. W. (see Boyd, D. M.), No. 1, p 94
_____, and C. M. Fortunko, *The Design and Use of Electromagnetic Acoustic Wave Transducers (EMATs)*, No. 12, p 1399
McClintock, R. (see Singh, A.), No. 5, p 568
McMaster, R. L., *The Moral Basis for Nondestructive Testing*, No. 12, p 1361
Moake, G. L., and R. K. Stanley, *Inspecting Oil Country Tubular Goods Using Capacitive Discharge Systems* (Performing Routine Inspections), No. 7, p 779
Moore, T. R., and R. D. Bell, *Radiation Emergency—Disconnected Source!* No. 10, p 1208
Moorhead, P. E. (see Vary, A.), No. 8, p 942
Nagem, R. J. (see Williams, J. H., Jr.), No. 2, p 190
_____(see Williams, J. H., Jr.), No. 2, p 202
Nelson, W., *Estimation of a Particle Size Distribution When Detection Probability Depends on Particle Size*, No. 10, p 1172
Nestleroth, J. B. (see Rose, J. L.), No. 3, p 315
_____(see Fuller, M. D.), No. 5, p 571
Notea, A. (see Fishman, A.), No. 10, p 1201
O'Maley, J. B. (see Glenn, W. E.), No. 12, p 1412
Onoe, M., H. Yamada, and Z.-C. Liu, *Transmission and Reflection-Type Ultrasonic Computed Tomography*, No. 3, p 300
_____, J. W. Tsao, H. Yamada, and M. Yoshimatsu, *Computed Tomography for Use on Live Trees*, No. 6, p 748
Oravecz, M. G. (see Yuhas, D. E.), No. 11, p 1304
Palanisamy, R. (see Ida, N.), No. 12, p 1389
Papadakis, E. P., *Why and What for (Four): The Basis for Writing a Good Introduction*, No. 1, p 20
_____, *Future Growth of Nondestructive Evaluation*, No. 10, p 1130
_____, *Use of Computer Model and Experimental Methods to Design, Analyze, and Evaluate Ultrasonic NDE Transducers*, No. 12, p 1378
Perdijon, J., *Method of Acceptance Decision, Taking NDT's Lack of Precision into Account*, No. 8, p 951
Queen, R. L., and W. T. Wisler, *Structural Steel Building Weld Inspection* (Performing Routine Inspections), No. 7, p 786
Reimers, P., and J. Goebbels, *New Possibilities of Nondestructive Evaluation by X-ray Computed Tomography*, No. 6, p 732
Rentler, M. E., *IRIS—Internal Rotary Inspection System* (Back to Basics), No. 8, p 884 (see Vibrations, No. 10, p 1106)
Reynolds, W. N. (see Smith, R. L.), No. 2, p 219
Rock, M. L. (see Iddings, F. A.), No. 12, p 1338
Rogel, A. P., *NDT TV Tapes on Eddy Currents and Magnetic Rubber* (Performing Routine Inspections), No. 7, p 778

_____, and J. J. Scalese, *Automatic Eddy Current Bolt-Hole Scanning System*, No. 7, p 839

Rose, J. L., J. B. Nestleroth, and Y. H. Jeong, *Component Identification Using Ultrasonic Signature Analysis*, No. 3, p 315

_____(see Fuller, M. D.), No. 5, p 572

Rudwick, T. W., III (see Singh, A.), No. 5, p 568

Ruitberg, A. P. (see Yin, L. I), No. 7, p 844

Rumbold, J. G., *Multichannel Versus Multiplex Ultrasonic NDT Systems* (Back to Basics), No. 11, p 1258

Rummel, W. D., *Level III Certificate and Level III Certification Programs: Pathways in Professional Growth, An Opinion Paper*, No. 10, p 1144

Rusbridge, K. L. (see Smith, R. L.), No. 2, p 219

Saebjørnsen, K., and O. Førli, *Underwater NDE Techniques* (Back to Basics), No. 5, p 503

Scalese, J. J. (see Rogel, A. P.), No. 7, p 839

Schwartz, S. W., and W. Lord, *Effects of Temperature on Eddy Current Probe Response*, No. 12, p 1395

Schonberg, R. G. (see Wenk, S. A.), No. 9, p 1069

Segal, Y. (see Fishman, A.), No. 10, p 1201

Selner, R. H. (see Boisvert, B. W.), No. 1, p 34

_____(see Boisvert, B. W.), No. 2, p 134

Seltzer, S. M. (see Yin, L. I), No. 7, p 844

Shackelford, J. F. (see Boyd, D. M.), No. 1, p 94

Sherwin, A. G., *Overremoval Propensities of the Prewash Hydrophilic Emulsifier Fluorescent Penetrant Process*, No. 3, p 294

Singh, A., R. McClintock, T. W. Rudwick III, and R. L. Brackett, *Automated Inspection of Corroded Steel Structures*, No. 5, p 568

Singh, G. P., R. A. Cervantes, and R. L. Spinks, *Ultrasonic NDE Technique for the Examination of Low-pressure Turbine Disk Rims*, No. 13, p 1511

Spinks, R. L. (see Singh, G. P.), No. 13, p 1511

Smilie, R. W., and F. A. Iddings, *Mechanisms of Transducer Failure in a Gamma Radiation Field*, No. 12, p 1409

Smith, A. B., *Rethinking Automation in NDT Applications*, No. 3, p 276

Smith, R. L., K. L. Rusbridge, W. N. Reynolds, and B. Hudson, *Ultrasonic Attenuation, Microstructure, and Ductile to Brittle Transition Temperature in Fe-C Alloys*, No. 2, p 219

Speijer, J. L. (see van Dreummel, W. H. M.), No. 9, p 1060

Stanley, R. K. (see Moake, G. L.), No. 7, p 779

Stiffler, R., and E. G. Henneke, II, *The Application of Polyvinylidene Fluoride as an Acoustic Emission Transducer for Fibrous Composite Materials*, No. 8, p 956

Stumm, W., *Magnetographic Weld Inspection System for Underwater Installations*, No. 5, p 586

Swets, J. A., *Assessment of NDT Systems—Part I: The Relationship of True and False Detections*, No. 11, p 1294

_____, *Assessment of NDT Systems—Part II: Indices of Performance*, No. 11, p 1299

Syverson, L. (see Jackson, C.), No. 7, p 783

Taddei, M. (see Canella, G.), No. 9, p 1018

Talley, D. J., *Productivity is Quality in Quantity* (QualTest®-1 Keynote Address), No. 1, p 48

Taylor, G. M. (see Boyd, D. M.), No. 1, p 94

Trombka, J. I. (see Yin, L. I), No. 7, p 844

Tsao, J. W. (see Onoe, M.), No. 6, p 748

Tsao, M. C., *Industrial Ultrasonic Tomography—Principle, Practice, and Limitation*, No. 11, p 1248

Tsiang, G. S. (see Jones, A. R.), No. 10, p 1194

van Dreummel, W. H. M., and J. L. Speijer, *Polar-Scan, A Nondestructive Test Method for the Inspection of Layer Orientation and Stacking Order in Advanced Fiber Composites*, No. 9, p 1060

Vary, A., and D. R. Hull, *Interrelation of Material Microstructure, Ultrasonic Factors, and Fractural Toughness of a Two-Phase Titanium Alloy*, No. 3, p 309

_____, P. E. Moorhead, and D. R. Hull, *Metal Honeycomb to Porous Wireform Substrate Diffusion Bond Evaluation*, No. 8, p 942

Walker, D. (see Galerne, A.), No. 5, p 532

Walther, K. G., *The Magfoil Method*, No. 5, p 582

Webborn, T. J. C., *Crack Depth Measurements Using AC Potential Drop* (Instrument Review), No. 2, p 156

Wenk, S. A., R. A. Brokaw, and R. G. Schonberg, *The Potential of Real-Time Radiography for API 1104*, No. 9, p 1069

West, K. W. (see Cohen, R. L.), No. 9, p 1074

Williams, J. H., Jr., B. R. Felenchak, and R. J. Nagem, *Quantitative Geometric Characterization of Two-Dimensional Flaws Via Liquid Crystals Thermography*, No. 2, p 190

_____, and R. J. Nagem, *A Liquid Crystals Kit for Structural Integrity Assessment of Fiberglass Watercraft*, No. 2, p 202

_____, and S. S. Lee, *Acoustic Emission Characterization Using AE [Parameter] Delay*, No. 8, p 961

_____, E. B. Kahn, and S. S. Lee, *Effects of Specimen Resonances on Acoustic-Ultrasonic Testing*, No. 13, p 1502

Wisler, W. T. (see Queen, R. L.), No. 7, p 786

Wysnewski, R. E., *Quantitative Evaluation of Radiographic Imaging Variables*, No. 7, p 826

Yamada, H. (see Onoe, M.), No. 3, p 300

_____(see Onoe, M.), No. 6, p 748

Yin, L. I, J. I. Trombka, A. P. Ruitberg, and S. M. Seltzer, *A Small Battery-Operated Fluoroscopic System: Lixiscope with X-ray Generator*, No. 7, p 844

Yoshimatsu, M. (see Onoe, M.), No. 6, p 748

Yuhas, D. E., and M. G. Oravecz, *Microstructural Characterization of Titanium by Acoustic Microscopy*, No. 11, p 1304